

Supplemental Table S1. Clinical Characteristics of Patients with Subclinical Thyrotoxicosis

No.	Sex	Age, yr	TSH, mIU/L	T3, ng/mL	FT4, ng/dL	CRP, mg/dL	Clinical symptoms	Outcome
1	F	56	0.33	1.13	1.12	0.1	Cough	Alive
2	M	87	0.20	0.90	1.14	9.4	Fever, dyspnea	Death
3	F	67	0.25	0.64	1.18	18.7	Dyspnea	Death
4	F	81	0.24	0.84	1.18	9.1	Cough, sputum	Death
5	F	78	0.11	0.92	1.24	7.3	Fever, sputum, diarrhea, myalgia	Alive
6	F	60	0.28	0.85	1.27	15.2	Fever, cough, dyspnea, myalgia	Alive
7	F	64	0.27	0.82	1.35	7.9	Fever, cough, sputum, dyspnea	Death
8	M	61	0.35	1.01	1.41	11.6	Fever, cough, sputum, dyspnea	Alive
9	M	72	0.30	0.78	1.43	9.6	Dyspnea	Death
10	F	63	0.19	0.69	1.58	15.9	Fever, dyspnea	Alive
11	M	58	0.18	0.93	1.67	14.3	Neck pain, cough, dyspnea	Death
12	F	76	0.07	0.99	1.74	6.7	Neck pain	Alive
13	F	55	0.18	0.82	1.34	15.5	Fever, sputum	Alive
14	F	90	0.12	0.68	1.50	3.2	Dyspnea	Death
15	M	65	0.23	0.76	1.30	6.4	Fever, dyspnea	Alive
16	F	82	0.29	0.95	1.29	3.7	Fever, dyspnea	Death
17	F	86	0.29	0.71	1.32	14.1	Cough, rhinorrhea	Alive

TSH, thyroid stimulating hormone; T3, triiodothyronine; FT4, free thyroxine; CRP, C-reactive protein.