

**Supplemental Table S2.** List of Excluded Studies with Their Reasons of Exclusion

Reasons for exclusion	Studies references
Review articles	[1-8]
Incomplete study data	[9,10]
No control group	[11,12]
No data on the outcome of interest	[13]
Abstract only	[14]

## SUPPLEMENTAL REFERENCES

- Xiong H, Wu M, Yi H, Wang X, Wang Q, Nadirshina S, et al. Genetic associations of the thyroid stimulating hormone receptor gene with Graves diseases and Graves ophthalmopathy: a meta-analysis. *Sci Rep* 2016;6:30356.
- Pujol-Borrell R, Gimenez-Barcons M, Marin-Sanchez A, Colobran R. Genetics of Graves' disease: special focus on the role of TSHR gene. *Horm Metab Res* 2015;47:753-66.
- Ploski R, Szymanski K, Bednarczuk T. The genetic basis of Graves' disease. *Curr Genomics* 2011;12:542-63.
- Pujol-Borrell R, Alvarez-Sierra D, Jaraquemada D, Marin-Sanchez A, Colobran R. Central tolerance mechanisms to TSHR in Graves' disease: contributions to understand the genetic association. *Horm Metab Res* 2018;50:863-70.
- Stefan M, Faustino LC. Genetics of thyroid-stimulating hormone receptor-relevance for autoimmune thyroid disease. *Front Endocrinol (Lausanne)* 2017;8:57.
- Gong J, Jiang SJ, Wang DK, Dong H, Chen G, Fang K, et al. Association of polymorphisms of rs179247 and rs12101255 in thyroid stimulating hormone receptor intron 1 with an increased risk of Graves' disease: a meta-analysis. *J Huazhong Univ Sci Technolog Med Sci* 2016;36:473-9.
- Qian W, Xu K, Jia W, Lan L, Zheng X, Yang X, et al. Association between TSHR gene polymorphism and the risk of Graves' disease: a meta-analysis. *J Biomed Res* 2016;30: 466-75.
- Chistiakov DA. Thyroid-stimulating hormone receptor and its role in Graves' disease. *Mol Genet Metab* 2003;80:377-88.
- Colobran R, Armengol Mdel P, Faner R, Gartner M, Tykocinski LO, Lucas A, et al. Association of an SNP with intra-thymic transcription of TSHR and Graves' disease: a role for defective thymic tolerance. *Hum Mol Genet* 2011;20: 3415-23.
- Liu BL, Yang SY, Liu W, Xue LQ, Chen X, Pan CM, et al. Refined association of TSH receptor susceptibility locus to Graves' disease in the Chinese Han population. *Eur J Endocrinol* 2014;170:109-19.
- Jurecka-Lubieniecka B, Bednarczuk T, Ploski R, Krajewska J, Kula D, Kowalska M, et al. Differences in gene-gene interactions in Graves' disease patients stratified by age of onset. *PLoS One* 2016;11:e0150307.
- Jurecka-Lubeniecka B, Ploski R, Kula D, Szymanski K, Bednarczuk T, Ambroziak U, et al. Association between polymorphisms in the TSHR gene and Graves' orbitopathy. *PLoS One* 2014;9:e102653.
- Marin-Sanchez A, Alvarez-Sierra D, Gonzalez O, Lucas-Martin A, Selles-Sanchez A, Rudilla F, et al. Regulation of TSHR expression in the thyroid and thymus may contribute to TSHR tolerance failure in Graves' disease patients via two distinct mechanisms. *Front Immunol* 2019;10:1695.
- Stozek K, Wawrusiewicz-Kurylonek N, Goscik J, Wasniewska M, Aversa T, Corica D, et al. P1-P269: The association between TSHR, IFIH1 and ETV5 polymorphisms with Graves' disease and diabetes mellitus type 1 in children. *Horm Res Paediatr* 2018;90(Suppl 1):604.